

SAUNA



HEATERS





SAWO is an ISO 14001:2004 (Environmental Management System)
and ISO 9001:2008 (Quality Management System) certified company.

Rediscover SAWO sauna heaters.

Reliable. Economic. Durable. Those are the streamlines of SAWO stainless electric sauna heaters.

SAWO heaters have continuously evolved to give you the best sauna experience. Each of these heaters has its own characteristics that are fine-tuned to your sauna bathing desires. With safety and brilliance, SAWO heaters possess faster heating capability and energy saving features. Examine each of these heaters and get the most compatible for your sauna.





Constellation Heaters

Be mesmerized with the radiant of Helius and Taurus heaters. These new breed of heaters have the ability to heat-up twice as faster as normal heaters. Due to their efficient airflow design system, it draws proper ventilation inside-out of the heater. This milestone is a great contribution for bathers to save time and energy when enjoying the sauna.

These heaters are the best option to upgrade your sauna heaters for a more pleasurable sauna.



Helius

This exquisite looking modern heater has a slim shape that defies space. The genius airflow design ventilate well the fresh air inside the heater making it safe to use even near to a combustible material. Helius heater is also the best option as a replacement of your old heater.

Helius heaters can also be installed on a recess area of the sauna room that hides it. The heater is supplied with a royal soapstone funnel that is connected with a silicon hose down to the distribution tube. An even glow of steam comes out from the louver of the division and the warm air soothes bathers' skin. The process is regarded as the safest as the heater is segregated from the bathers when using the sauna.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT	
HES-45NS	4.5	3	6	860	230	655	separate
HES-60NS	6.0	5	9	860	230	655	separate
HES-75NS	7.5	7	13	860	230	655	separate
HES-90NS	9.0	8	14	860	230	655	separate



Taurus

Brilliant free-standing heater for commercial use. Taurus heater passed extensive testing for heavily-used sauna rooms. The heating elements for Taurus are re-engineered to last longer than average heaters. Taurus heaters are equipped with advanced sensory system that detects early stage of heating element malfunctions.

Taurus Flare has a rock container that prevents the stones to touch with the heating elements making the steam softer and milder when water is splashed onto the heated stones. Heating elements are proven to last longer because there is no physical contact between the stones and the heating elements. Taurus Flare heats much faster than other heaters.

HEATER MODEL	kW	SAUNA ROOM MIN MAX (m ²)		SIZE OF HEATER WIDTH DEPTH HEIGHT (mm)			STONES (kg)	CONTROL
TAU6-90N	9.0	8	14	555	555	680	45	separate
TAU6-120N	12.0	10	18	555	555	680	50	separate
TAU12-90N	9.0	8	14	555	555	680	45	separate
TAU12-120N	12.0	10	18	555	555	680	50	separate



Tower Heaters

The Tower heater boasts a unique, slender, stainless steel design which has been specially made to create a more humid, gentle steam similar to the more traditional wood-burning heaters.

These tower heaters can hold a mammoth amount of stones up to 360 kilograms! When a large surface of rocks come into contact with water, it releases the steam evenly in every direction. Furthermore, the Tower heater ensures a prolonged, steady heat, keeping your sauna warm longer.

Tower heaters are with optional heater guards and flanges that protects bathers from accidental burns and make your sauna room more elegant.



Bejewel your sauna room, have it with the stone-filled mid-sized Aries Tower Heater.

The Aries is known for its fast heating capability and eligible amount of stones that can load up to 75 kg of stones. A luscious sauna is guaranteed with stack of heated stones.

The Aries is designed for small to medium sized sauna rooms. Its short height makes it easy to install the stones. Aries is a fine choice for heater upgrades.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT		
		(m ²)		(mm)				
ARI3-45NB	4.5	3	6	300	300	930	60	built-in
ARI3-60NB	6.0	5	9	300	300	930	60	built-in
ARI3-75NB	7.5	7	12	300	300	930	60	built-in
ARI3-90NB	9.0	8	13	300	300	930	60	built-in
ARI3-45NS	4.5	3	6	300	300	930	60	separate
ARI3-60NS	6.0	5	9	300	300	930	60	separate
ARI3-75NS	7.5	7	12	300	300	930	60	separate
ARI3-90NS	9.0	8	13	300	300	930	60	separate
ARI6-90NB	9.0	8	14	390	390	930	75	built-in
ARI6-90NS	9.0	8	14	390	390	930	75	separate
ARI6-105N	10.5	9	15	390	390	930	75	separate
ARI6-120N	12.0	10	18	390	390	930	75	separate
ARI6-150N	15.0	13	23	390	390	930	75	separate
ARI6-180N	18.0	15	26	390	390	930	75	separate



Phoenix Tower Heater

Complete your sauna with a cozy oval shape ring heater. The Phoenix is designed with an angled oblique ream that pile stones in a slanting position. There are more exposed stones on the hot heater top that can handle bigger amounts of water thrown on the heater.

This heater has also faster heating time and can hold up to 100 kg of stones. The outer removable casing is made of rods that exposes the stones better. It is best for small and medium sized sauna rooms.

HEATER MODEL	KW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT		
PNX3-45NB	4.5	3	6	360	330	1100	80	built-in
PNX3-45NS	4.5	3	6	360	330	1100	80	separate
PNX3-60NB	6.0	5	8	360	330	1100	80	built-in
PNX3-60NS	6.0	5	8	360	330	1100	80	separate
PNX3-75NB	7.5	8	12	360	330	1100	80	built-in
PNX3-75NS	7.5	8	12	360	360	1100	80	separate
PNX3-90NB	9.0	8	15	360	360	1100	80	built-in
PNX3-90NS	9.0	8	15	360	360	1100	80	separate
PNX6-90NS	9.0	8	15	455	415	1120	110	separate
PNX6-105N	10.5	9	16	455	415	1120	110	separate
PNX6-120N	12.0	11	18	455	415	1120	110	separate
PNX6-150N	15.0	14	25	455	415	1120	110	separate
PNX6-180N	18.0	18	28	455	415	1120	110	separate



Round Tower Heater

Round Tower heater stands tall inside your sauna room which can handle huge amount of stones up to 360 kilograms! Solid rings made from steel rod holds down the large volume of stones and exposes it better. When water is thrown on the heater, there is only minimal water deflection as rods are round and thin - producing better steam inside your sauna room.

This free-standing stainless heater is best located in the middle of the sauna room. Round Tower heater power ranges from 3 kW until 24 kW.

A protective wooden guardrail and a stone or metal flange is available by request.



HEATER MODEL	KW	HEATING ELEMENT kW	TYPE	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
				MIN	MAX	WIDTH	DEPTH	HEIGHT		
TH2-30NB	3.0	2 x 1.5	TH150	2	4	260	260	1300	70	built-in
TH3-35NB	3.5	3 x 1.15	TH115	3	6	260	260	1300	70	built-in
TH3-45NB	4.5	3 x 1.5	TH150	3	6	260	260	1300	70	built-in
TH3-60NB	6.0	3 x 2.0	TH200	5	8	260	260	1300	70	built-in
TH2-30NS	3.0	2 x 1.5	TH150	2	4	260	260	1300	70	separate
TH3-35NS	3.5	3 x 1.15	TH115	3	6	260	260	1300	70	separate
TH3-45NS	4.5	3 x 1.5	TH150	3	6	260	260	1300	70	separate
TH3-60NS	6.0	3 x 2.0	TH200	5	8	260	260	1300	70	separate
TH4-60NB	6.0	4 x 1.5	TH150	5	9	310	310	1300	105	built-in
TH4-60NS	6.0	4 x 1.5	TH150	5	9	310	310	1300	105	separate
TH4-80NS	8.0	4 x 2.0	TH200	7	13	310	310	1300	105	separate
TH5-90NS	9.0	2 x 1.5	TH150	8	14	310	310	1300	105	separate
TH6-80NB	8.0	3 x 1.5	TH150	7	14	365	365	1300	160	built-in
TH6-90NB	9.0	3 x 1.15	TH115	8	15	365	365	1300	160	built-in
TH6-80NS	8.0	3 x 1.5	TH150	7	14	365	365	1300	160	separate
TH6-90NS	9.0	3 x 1.15	TH115	8	15	365	365	1300	160	separate
TH6-105N	10.5	3 x 2.0	TH200	9	16	365	365	1300	160	separate
TH6-120N	12.0	6 x 2.0	TH200	11	18	365	365	1300	160	separate
TH6-80Ni	8.0	3 x 1.5	TH150	7	14	365	365	1300	160	Innova
TH6-90Ni	9.0	3 x 1.15	TH115	8	15	365	365	1300	160	Innova
TH6-105Ni	10.5	3 x 2.0	TH200	9	16	365	365	1300	160	Innova
TH6-120Ni	12.0	6 x 2.0	TH200	11	18	375	375	1300	160	Innova
TH9-105N	10.5	9 x 1.15	TH115	10	16	440	440	1300	230	separate
TH9-120N	12.0	4 x 1.15	TH115	11	20	440	440	1300	230	separate
TH9-150N	15.0	5 x 1.5	TH150	14	25	440	440	1300	230	separate
TH9-180N	18.0	6 x 1.5	TH150	18	28	440	440	1300	230	separate
TH9-105Ni	10.5	9 x 1.15	TH115	10	16	440	440	1300	230	Innova
TH9-120Ni	12.0	4 x 1.15	TH115	11	20	440	440	1300	230	Innova
TH9-150Ni	15.0	5 x 1.5	TH150	14	25	440	440	1300	230	Innova
TH12-150N	15.0	3 x 2.0	TH200	15	26	540	540	1300	360	separate
TH12-180N	18.0	6 x 1.5	TH150	18	30	540	540	1300	360	separate
TH12-210N	21.0	6 x 1.5	TH150	22	35	540	540	1300	360	separate
TH12-240N	24.0	6 x 2.0	TH200	24	40	540	540	1300	360	separate
TH12-150Ni	15.0	12 x 2.0	TH200	15	26	540	540	1300	360	Innova
TH12-180Ni	18.0	9 x 1.15	TH115	15	26	540	540	1300	360	Innova
TH12-210Ni	21.0	3 x 1.5	TH150	18	30	540	540	1300	360	Innova
TH12-240Ni	24.0	6 x 1.5	TH150	22	35	540	540	1300	360	Innova
TH12-240Ni	24.0	6 x 2.0	TH200	24	40	540	540	1300	360	Innova



Wall Tower Heater

The Wall Tower Heaters are placed on the sauna wall. It conserves space inside your sauna, and is available with built-in or separate controls.

Power ratings of the wall tower heaters varies from 3 kW – 24 kW.



HEATER MODEL	kW	HEATING ELEMENT kW TYPE	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
			MIN	MAX	WIDTH	DEPTH	HEIGHT		
			(m ²)	(m ²)	(mm)	(mm)	(mm)		
TH2-30NB-WL	3.0	2 x 1.5 TH150	2	4	385	220	1400	70	8 + 4h
TH3-35NB-WL	3.5	3 x 1.15 TH115	3	6	385	220	1400	70	8 + 4h
TH3-45NB-WL	4.5	3 x 1.5 TH150	3	6	385	220	1400	70	8 + 4h
TH2-60NB-WL	6.0	3 x 2.0 TH200	5	8	385	220	1400	70	8 + 4h
TH2-30NS-WL	3.0	2 x 1.5 TH150	2	4	385	220	1400	70	separate
TH3-35NS-WL	3.5	3 x 1.15 TH115	3	6	385	220	1400	70	separate
TH3-45NS-WL	4.5	3 x 1.5 TH150	3	6	385	220	1400	70	separate
TH4-60NB-WL	6.0	4 x 1.5 TH150	5	9	465	250	1400	120	8 + 4h
TH4-60NS-WL	6.0	4 x 1.5 TH150	5	9	465	250	1400	120	separate
TH4-80NS-WL	8.0	4 x 2.0 TH200	7	13	465	250	1400	120	separate
TH5-90NS-WL	9.0	2 x 1.5 TH150 3 x 2.0 TH200	8	14	465	250	1400	120	separate
TH6-80NB-WL	8.0	3 x 1.5 TH150 3 x 1.15 TH115	7	14	540	300	1400	160	8 + 4h
TH6-90NB-WL	9.0	6 x 1.5 TH150	8	15	540	300	1400	160	8 + 4h
TH6-80NS-WL	8.0	3 x 1.5 TH150 3 x 1.15 TH115	7	14	540	300	1400	160	separate
TH6-90NS-WL	9.0	6 x 1.5 TH150	8	15	540	300	1400	160	separate
TH6-105N-WL	10.5	2 x 2.0 TH200 3 x 1.5 TH150	9	16	540	300	1400	160	separate
TH6-120N-WL	12.0	6 x 2.0 TH200	11	18	540	300	1300	160	separate
TH6-80NI-WL	8.0	3 x 1.5 TH150 3 x 1.15 TH115	7	14	540	300	1300	160	Innova
TH6-90NI-WL	9.0	6 x 1.5 TH150	8	15	540	300	1400	160	Innova
TH6-105NI-WL	10.5	9 x 1.15 TH115	9	16	540	300	1400	160	Innova
TH6-120NI-WL	12.0	6 x 2.0 TH200	11	18	540	300	1400	160	Innova
TH9-105N-WL	10.5	9 x 1.15 TH115	10	16	640	350	1400	180	separate
TH9-120N-WL	12.0	4 x 1.15 TH115 5 x 1.5 TH150	11	20	640	350	1400		
TH9-150N-WL	15.0	6 x 1.5 TH150 3 x 2.0 TH200	14	25	640	350	1400	180	separate
TH9-180N-WL	18.0	9 x 2.0 TH200	18	28	640	350	1400	180	separate
TH9-105NI	10.5	9 x 1.15 TH115	10	16	640	350	1400	180	Innova
TH9-120NI	12.0	4 x 1.15 TH115 5 x 1.5 TH150	11	20	640	350	1400	180	Innova
TH9-150NI	15.0	6 x 1.5 TH150 3 x 2.0 TH200	14	25	640	350	1400	180	Innova
TH12-150N-WL	15.0	9 x 1.15 TH115 3 x 1.5 TH150	15	26	780	420	1400	250	separate
TH12-180N-WL	18.0	12 x 1.5 TH150	18	30	780	420	1400	250	separate
TH12-210N-WL	21.0	6 x 1.5 TH150 6 x 2.0 TH200	22	35	780	420	1400	250	separate
TH12-240N-WL	24.0	12 x 2.0 TH200	24	40	780	420	1400	250	separate
TH12-150NI-WL	15.0	9 x 1.15 TH115 3 x 1.5 TH150	15	26	780	420	1400	250	Innova
TH12-180NI-WL	18.0	12 x 1.5 TH150	18	30	780	420	1400	250	Innova
TH12-210NI-WL	21.0	6 x 1.5 TH150 6 x 2.0 TH200	22	35	780	420	1400	250	Innova
TH12-240NI-WL	24.0	12 x 2.0 TH200	24	40	780	420	1400	250	Innova



Corner Tower

Corner Tower heaters, as its name suggests, are placed in the corners of the sauna room. The design of these heaters makes you more sensible with your sauna room layout. It gives you more space for your benches where the heater is very well accessible.

The Corner Tower heaters are in different options: with built-in control unit, separate control unit or with Innova control system. The advantage of using Innova control is that it makes your sauna bathing more personal as it has plenty of usable features.



HEATER MODEL	kW	HEATING ELEMENT kW	HEATING ELEMENT TYPE	SAUNA ROOM MIN MAX (m ²)	SIZE OF HEATER WIDTH DEPTH HEIGHT (mm)	STONES (kg)	CONTROL
TH2-30NB-CNR	3.0	2 x 1.5	TH150	2 4	300 300 1380	70	8 + 4h
TH3-35NB-CNR	3.5	3 x 1.15	TH115	3 6	300 300 1380	70	8 + 4h
TH3-45NB-CNR	4.5	3 x 1.5	TH150	3 6	300 300 1380	70	8 + 4h
TH3-60NB-CNR	6.0	3 x 2.0	TH200	5 8	300 300 1380	70	8 + 4h
TH2-30NS-CNR	3.0	2 x 1.5	TH150	2 4	300 300 1380	70	separate
TH3-35NS-CNR	3.5	3 x 1.15	TH115	3 6	300 300 1380	70	separate
TH3-45NS-CNR	4.5	3 x 1.5	TH150	3 6	300 300 1380	70	separate
TH3-60NS-CNR	6.0	3 x 2.0	TH200	5 8	300 300 1380	70	separate
TH4-60NB-CNR	6.0	4 x 1.5	TH150	5 9	350 350 1380	105	8 + 4h
TH4-60NS-CNR	6.0	4 x 1.5	TH150	5 9	350 350 1380	105	separate
TH4-80NS-CNR	8.0	4 x 2.0	TH200	7 13	350 350 1380	105	separate
TH5-90NS-CNR	9.0	2 x 1.5	TH150	8 14	350 350 1380	105	separate
		3 x 2.0	TH200				
TH6-80NB-CNR	8.0	3 x 1.5	TH150	7 14	410 410 1380	160	8 + 4h
		3 x 1.15	TH115				
TH6-90NB-CNR	9.0	6 x 1.5	TH150	8 15	410 410 1380	160	8 + 4h
TH6-80NS-CNR	8.0	3 x 1.5	TH150	7 14	410 410 1380	160	separate
		3 x 1.15	TH115				
TH6-90NS-CNR	9.0	6 x 1.5	TH150	8 15	410 410 1380	160	separate
TH6-105N-CNR	10.5	2 x 2.0	TH200	9 16	410 410 1380	160	separate
		3 x 1.5	TH150				
TH6-120N-CNR	12.0	6 x 2.0	TH200	11 18	410 410 1380	160	separate
TH6-80NI-CNR	8.0	3 x 1.5	TH150	7 14	410 410 1380	160	Innova
		3 x 1.15	TH115				
TH6-90NI-CNR	9.0	6 x 1.5	TH150	8 15	410 410 1380	160	Innova
TH6-105NI-CNR	10.5	3 x 2.0	TH200	9 16	410 410 1380	160	Innova
		3 x 1.5	TH150				
TH6-120NI-CNR	12.0	6 x 2.0	TH200	11 18	410 410 1380	160	Innova



Stone Heaters

SAWO's Stone Heaters are made from Finnish soap stone. The heaters are very unique as they have soap stones to maximize the heating capacity and minimize the heat loss in all ways. The stone heaters are available in different sizes and designs for small and big sauna rooms. Power ranges from 3 -24 kilowatt.



Nimbus

Nimbus heater is virtually a dome-rock heater! It is very unique model where all of its sides are covered with soap stones. The soap stones absorb the heat thus reducing heat loss. The topmost corner parts of Nimbus is a concave carved soapstone used as a basin where you may add aroma oils to pleasantly scent your sauna room.

Nimbus is one of the biggest of the stone heaters with a maximum heating power up to 24 kW.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			SAUNA STONES (kg)	STONES (kg)	CONTROL
		MIN	MAX (m ²)	WIDTH	DEPTH (mm)	HEIGHT			
NIM-90N	9.0	8	14	575	470	690	40-50	80	separate
NIM-105N	10.5	9	15	575	470	690	40-50	80	separate
NIM-120N	12.0	10	18	575	470	690	40-50	80	separate
NIM-150N	15.0	13	23	655	470	690	60-75	100	separate
NIM-180N	18.0	17	29	655	470	690	60-75	100	separate
NIM-180NV12	18.0	18	30	810	470	690	80-100	120	separate
NIM-210NV12	21.0	22	35	810	470	690	80-100	120	separate
NIM-240NV12	24.0	26	42	810	470	690	80-100	120	separate





Altostratus

The Altostratus heater is designed with the balance of stainless steel and Finnish soap stones in mind.

Altostratus heater is easy to install and it stand on the floor with an adjustable leg support. This model is designed to withstand intense heat and can hold up to 100 kg of sauna stones.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			SAUNA STONES (kg)	STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT			
ALTO-90N	9.0	8	14	460	460	680	40-50	30	separate
ALTO-105N	10.5	9	15	460	460	680	40-50	30	separate
ALTO-120N	12.0	10	18	460	460	680	40-50	30	separate
ALTO-150N	15.0	13	23	630	460	680	60-75	40	separate
ALTO-180N	18.0	17	29	630	460	680	60-75	40	separate
ALTO-180NV12	18.0	18	30	780	460	680	80-100	50	separate
ALTO-210NV12	21.0	22	35	780	460	680	80-100	50	separate
ALTO-240NV12	24.0	26	42	780	460	680	80-100	50	separate



Cirrus

Cirrus (CIR) has an amazingly even heat distribution from the floor up to the ceiling. Water thrown on the heater will be transformed to pleasant steam from the uniquely designed soap stones with water pockets.

Cirrus Rock (CRR) is loaded full with sauna stones from below up. The huge amount of sauna stones generate more steam in your sauna.

If one wants milder steam, go for Cirrus. For heat enduring enthusiast, cirrus Rocks is a best choice.

The Cirrus heaters can be installed in *Tandem Connection. Available as 6 kW, 8 kW, 10 kW, 12 kW and 15 kW.

*Tandem connection is connecting more than one heater in a single control unit.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT		
CRR\CIR-30NB	3.0	2	4	405	185	895	35	8 + 4h
CRR\CIR-40NB	4.5	3	6	405	185	895	35	8 + 4h
CRR\CIR-50NB	5.0	4	8	405	185	895	35	8 + 4h
CRR\CIR-30NS	3.0	2	4	405	185	895	35	separate
CRR\CIR-40NS	4.0	3	6	405	185	895	35	separate
CRR\CIR-50NS	5.0	4	8	405	185	895	35	separate
CRR\CIR-45NB	4.5	3	6	405	185	895	35	8 + 4h
CRR\CIR-60NB	6.0	5	8	405	185	895	35	8 + 4h
CRR\CIR-75NB	7.5	8	12	405	185	895	35	8 + 4h



Cumulus

Cumulus is elegant wall mounted heater that has a decorative soapstone on it's facade. The top soapstone can pocket an aroma oil to add delight on your relaxation.

The Cumulus can hold up to 25 kg of sauna stones. Optional soapstone cubes can be added for a complete soapstone heater experience.

Available as 4.5 kW, 6 kW, 8 kW and 9 kW models.

Available with built-in and separate control unit.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			SAUNA STONES (kg)	STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT			
CML-45NB	4.5	3	6	420	285	425	18-22	10	8 + 4h
CML-60NB	6.0	5	8	420	285	425	18-22	10	8 + 4h
CML-80NB	8.0	7	13	420	285	485	20-25	10	8 + 4h
CML-90NB	9.0	8	14	420	285	485	20-25	10	8 + 4h
CML-45NS	4.5	3	6	420	285	425	18-22	10	separate
CML-60NS	6.0	5	8	420	285	425	18-22	10	separate
CML-80NS	8.0	7	13	420	285	485	20-25	10	separate
CML-90NS	9.0	8	14	420	285	485	20-25	10	separate



Stainless Heaters

SAWO Stainless Heaters are traditional Finnish electric sauna heaters made from stainless steel. SAWO's selection of stainless heaters includes everything from the small Mini heater, meant for small sauna rooms (power max 3.6 kW), to Super Savonia V12, meant for frequently used big sauna rooms (power max 25 kW). The stainless heater category includes also Scandia and Nordex heaters.



Mini

Mini heater is the best solution for small saunas (good for 1-2 persons). Its smaller body and movable control panel can make the most of a very small space. Its control panel can either be placed on the left or right side of the heater. Mini can hold 8 to 10.5 kg stones. The Mini is available with either built-in or separate control panel. Heat reflector is an optional feature that makes heat to move front ways.

Heat reflector can be ordered separately. It is an optional cover that makes the heat to move on the lower part of the sauna room.

Available in 2.3 kW, 3 kW and 3.6 kW.



HEATER MODEL	kW	SAUNA ROOM MIN MAX (m ²)		SIZE OF HEATER WIDTH DEPTH HEIGHT (mm)			SAUNA STONES (kg)	STONES (kg)	CONTROL
MN-23NB	2.3	1.3	2.5	435	210	450	18-22	10	8 + 4h
MN-30NB	3.0	2	4	435	210	445	18-22	10	8 + 4h
MN-36NB	3.6	3	6	435	210	445	20-25	10	8 + 4h
MN-23NS	2.3	1.3	2.5	325	210	445	20-25	10	separate
MN-30NS	3.0	2	4	330	210	445	18-22	10	separate
MN-36NS	3.6	3	6	325	210	445	18-22	10	separate



Mini X

Mini X is ideal for the smallest of sauna rooms (good for 1-2 persons). Especially made to fit in cabin corners or against a flat wall providing maximum bathing space with design flexibility.

Can hold 8 to 10.5 kg stones. Available in 2.3 kW, 3 kW and 3.6 kW.



HEATER MODEL	kW	SAUNA ROOM MIN MAX (m ²)		SIZE OF HEATER WIDTH DEPTH HEIGHT (mm)			STONES (kg)	CONTROL
MX-23NB	2.3	1.3	2.5	330	310	450	8-10.5	8 + 4h
MX-30NB	3.0	2	4	330	310	445	8-10.5	8 + 4h
MX-36NB	3.6	3	6	330	310	445	8-10.5	8 + 4h
MX-23NS	2.3	1.3	2.5	330	200	455	8-10.5	separate
MX-30NS	3.0	2	4	330	200	455	8-10.5	separate
MX-36NS	3.6	3	6	330	200	455	8-10.5	separate



Scandia

Scandia is good for small and medium sized sauna rooms (good for 3-6 persons). It has a robust body and increased stone capacity as it can hold 18 to 22 kg of stones. Like the Mini, it is available either with built-in control unit or separate control panel. Available in 3 kW, 4.5 kW, 6 kW, 8 kW and 9 kW.

Scandia Professional is an electric heater designed with special heating elements suited for frequently used sauna rooms. Available in 6 kW.

Heat reflector can be ordered separately. It is an optional cover that makes the heat to move on the lower part of the sauna room.



HEATER MODEL	kW	SAUNA ROOM MIN MAX (m ²)		SIZE OF HEATER WIDTH DEPTH HEIGHT (mm)			STONES (kg)	CONTROL
SCA-30NB	3.0	2	4	515	285	450	18-22	8 + 4h
SCA-45NB	4.5	3	6	515	290	445	18-22	8 + 4h
SCA-60NB	6.0	5	8	515	290	445	18-22	8 + 4h
SCA-80NB	8.0	7	13	515	290	520	18-22	8 + 4h
SCA-90NB	9.0	8	14	515	290	520	18-22	8 + 4h
SCA-30NS	3.0	2	4	410	290	455	18-22	separate
SCA-45NS	4.5	3	6	410	290	455	18-22	separate
SCA-60NS	6.0	5	8	410	290	455	18-22	separate
SCA-80NS	8.0	7	13	410	290	525	18-22	separate
SCA-90NS	9.0	8	14	410	290	525	18-22	separate



Savonia

The Savonia Family is electric heaters designed to withstand extreme heat but needs little care and maintenance. It can handle large amount of stones which gives more pleasant sauna steam. They are easy to install with adjustable leg supports that makes the heater stand on the floor. Suitable for sauna rooms that are used for apartments, hotels, holiday resorts, indoor swimming pools, fitness centers and other commercial facilities.

The Savonia is available in 9 kW, 10.5 kW and 12 kW. The Savonia 9 kW is the only one available with built-in control panels. Super Savonia is the middle range that has 15 kW and 18 kW power. Super Savonia V12 can hold up to 100 kg. of stones and power range from 18 kW up to 24 kW.

HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT		
SAV-90NB	9.0	8	14	500	440	655	40-50	8 + 4h
SAV-90N	9.0	8	14	440	410	655	40-50	separate
SAV-105N	10.5	9	15	440	410	655	40-50	separate
SAV-120N	12.0	10	18	440	410	655	40-50	separate
SAV-150N	15.0	13	23	590	410	655	60-75	separate
SAV-180N	18.0	17	29	585	410	655	60-75	separate
SAV-180NV12	18.5	18	30	735	410	655	80-100	separate
SAV-210NV12	21.0	22	35	745	410	655	80-100	separate
SAV-240NV12	24.0	26	42	745	410	655	80-100	separate



Nordex

The Nordex is good for small and medium sized sauna rooms (for 3-6 persons). It has a flexible built-in control unit, which gives you a choice to have the controls facing right, left or center. Heater can hold 18-22 kg of stones.

Available in 4.5 kW, 6 kW, 8 kW and 9 kW.



HEATER MODEL	kW	SAUNA ROOM		SIZE OF HEATER			STONES (kg)	CONTROL
		MIN	MAX	WIDTH	DEPTH	HEIGHT		
NR-45NB	4.5	3	6	410	300	505	18-22	8 + 4h
NR-60NB	6.0	5	8	410	300	505	18-22	8 + 4h
NR-80NB	8.0	7	13	410	300	575	18-22	8 + 4h
NR-90NB	9.0	8	14	410	300	575	18-22	8 + 4h
NR-45NS	4.5	3	6	410	300	505	18-22	separate
NR-60NS	6.0	5	8	410	300	505	18-22	separate
NR-80NS	8.5	7	13	410	300	575	18-22	separate
NR-90NS	9.0	8	14	410	300	575	18-22	separate



Combi heaters

The Combi Heaters are electric heaters that has an attached steamer that allows you to choose from normal sauna to steam bathing. Equipped with scent basins for aroma oils and with probably the most reliable and patented Water Level Detection System that warns water scarcity in the tank. The water level can conveniently be monitored through the water level indicator tube (standard model only).

Combi heaters are available in different shapes and designs.

Mini Combi(MNC) is for small-sized sauna rooms.

Scandia Combi(SCAC) and Nordex Combi(NRC) for medium sized saunas.

Savonia Combi(SAVC) and Nimbus Combi(NIMC) are for large saunas and commercial use.



Mini Combi



Scandia Combi



Nordex Combi



Savonia Combi



Nimbus Combi

Fiber coating

SAWO electric heaters also comes with optional fiber coated casings.

Aside from aesthetically enhancing, fiber coated casings also makes the heaters safe with cool-to-touch coating.

Fiber Coated Casings are available for all Stainless models and their Combi versions. Fiber coating is also available for the Steam Mate and the Cumulus heater.



Fiber Coated Mini



Fiber Coated Mini X




Fiber Coated Scandia



Fiber Coated Nordex



Fiber Coated Savonia



Steam Mate

With Steam Mate, it is now possible to increase the humidity of your sauna room. The steam mate is an added feature for your sauna room, installed with the heater, providing a softer more humid heat. The steam mate is controlled using combi heater controllers.

You may choose between a Mini or Scandia Steam Mate.



Mini Steam mate



Scandia Steam mate

HEATER MODEL	kW	FILL		HEATING ELEMENT		SUPPLY VOLTAGE	SIZE			SIZE OF WIRE (mm ²)
		MIN	MAX	kW	TYPE NUMBER		WIDTH	DEPTH (mm)	HEIGHT	
STAR-105NS	1.0 kW	1 L	3.5 L	1	COM10	230V 1N~	330	125	480	1.5
STAR-210NS	2.0 kW	1 L	5.5 L	2	COM200	230V 1N~	410	155	550	1.5





Experience the Genuine Finnish Sauna.
Experience SAWO.

www.sawo.com | info@sawo.com

www.facebook.com/sawosauna

